SDS conforms with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends (EC) No 2015/830, 453/2010 & 1907/2006)" and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020".



SAFETY DATA SHEET CRUSADER LOW TEMP DESTAINER

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CRUSADER LOW TEMP DESTAINER

Product number C008 EV

Internal identification Professional Hygiene

UFI: AYTN-G0XC-C00J-36R4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Low Temperature Bleaching Agent for Laundry Industry.

1.3. Details of the supplier of the safety data sheet

Supplier UK Supplier: EU Supplier:

Evans Vanodine International plc, Evans Vanodine Europe (FR), Brierley Road, 3 Boulevard de Belfort, 1st Floor,

Walton Summit, Lille, 59000, France.
Preston, PR5 8AH, UK. Tel: +33 (0)3 76 04 21 87.

Tel: 01772 322 200.

e-mail: productcompliance@evansvanodine.co.uk

1.4. Emergency telephone number

Emergency telephone New Safety Data Sheets - 01772 322 200 - Mon to Thurs 8.30am to 4.30pm

- Fri 8.30am to 1.30pm (Also available 24/7 from our website www.evansvanodine.co.uk) For Technical Advice about this SDS - 01772 318 818 - Mon to Thurs 8.00am to 5.30pm

National emergency For Health Care Professionals only

Telephone number For use in UK: Contact the National Poisons Information Service for further advice.

For use in the Republic of Ireland: To report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166 – 8am to 10pm every day). For use in Malta: Emergency services (Ambulance, Fire and Rescue, Police): 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture Classification (EU: 1272/2008 & UK: SI 2020/1567 which amends SI 2019 No. 720)

Physical hazards Not Classified
Health hazards Eye Dam. 1 - H318

Environmental hazards

Not Classified

2.2. Label elements
Hazard pictograms



CRUSADER LOW TEMP DESTAINER

Signal word Danger

Hazard statements H318 Causes serious eye damage.

Precautionary statements P102 Keep out of reach of children.

P280 Wear eye protection.

P264 Wash contaminated skin thoroughly after handling.

P301 IF SWALLOWED:

P313 Get medical advice/ attention.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P315 Get immediate medical advice/ attention.

P410 Protect from sunlight. P420 Store separately.

P501 Dispose of contents/ container in accordance with local regulations.

Contains 6-(PHTHALIMIDO)PEROXYHEXANOIC ACID

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. Including - Endocrine disrupting properties: None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

6-(PHTHALIMIDO)PEROXYHEXANOIC ACID

10-15%

CAS number: 128275-31-0

EC number: 410-850-8

M factor (Acute) = 1

Classification

Org. Perox. D - H242 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

1-3%

DISODIUM DIHYDROGEN (1-HYDROXYETHYLIDENE) BISPHOSPHONATE

Classification

Acute Tox. 4 - H302

The Full Text for all Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing.

Ingestion Do not induce vomiting. Give plenty of water to drink. Get medical attention if any

discomfort continues.

Skin contact Wash with plenty of water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse. Get medical attention immediately.

CRUSADER LOW TEMP DESTAINER

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and

the length of exposure.

Inhalation Irritation of nose, throat and airway.

Ingestion Nausea, vomiting. Diarrhoea. May cause stomach pain or vomiting.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact Severe irritation, burning and tearing. Prolonged contact causes serious eye and tissue

damage.

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Thermal decomposition or combustion products may include the following substances:

Irritating gases or vapours.

5.3. Advice for firefighters

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate

protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear eye and face protection. Avoid inhalation of vapours. For personal protection, see

Section 8.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Small Spillages: Flush away spillage with plenty of water. Large Spillages: Contain and

absorb spillage with sand, earth or other non-combustible material. Collect and place in

suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear eye protection. Avoid breathing vapours.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep only in the original container in a cool, well-ventilated place. Store away from the

following materials: Acids. Do not expose to temperatures exceeding 50°C/122°F.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

Usage description See Product Information Sheet & Label for detailed use of this product.

CRUSADER LOW TEMP DESTAINER

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

6-(PHTHALIMIDO)PEROXYHEXANOIC ACID

Long-term exposure limit (8-hour TWA) = 3mg/m3

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Not relevant.

Eye/face protection Wear eye protection.

Hand protection No specific hand protection recommended. For prolonged or repeated skin contact

use suitable protective gloves.

Other skin and body protection Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection Respiratory protection not required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour White/off-white.

Odour No characteristic odour.

pH (concentrated solution): 3.5 - 5.0

Melting point No information available.

Initial boiling point and range No information available.

Flash point No information available.

Flammability (solid, gas)

Not applicable.

Upper/lower flammability or

explosive limits

Not applicable.

Vapour pressure Not available.

Vapour density Not available.

Relative density 1.000 - 1.100 @ 23°C

Solubility(ies)

Partition coefficient

Not applicable.

Auto-ignition temperature

Not applicable.

Decomposition Temperature

Not applicable.

Viscosity

Not available.

CRUSADER LOW TEMP DESTAINER

9.2. Other information

Other information None.

Particle size Not applicable.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity The following materials may react with the product: Organic peroxides/hydroperoxides.

Oxidising materials. Strong reducing agents. Acids.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Will decompose at

temperatures exceeding 80°C.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

See sections 10.1,10.4 & 10.5

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition. Avoid exposure to high temperatures or

direct sunlight. Keep at temperature not exceeding 50°C.

10.5. Incompatible materials

Materials to avoid Keep away from flammable and combustible materials. Alkalis, acids, metal salts and

reducing agents. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Will decompose at temperatures exceeding 80°C. Thermal decomposition or combustion

products may include the following substances: Oxygen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects We have not carried out any animal testing for this product. Any ATE figures quoted below are

from Toxicity Classifications that have been carried out using ATE (Acute Toxicity Estimate) Calculation Method using LD50 or ATE figures provided by the Raw Material Manufacturer.

Other health effects Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 25,000.0

Acute toxicity - dermal

Summary Not applicable.

Acute toxicity - inhalation

Summary Not applicable.

Skin corrosion/irritation

Summary Not applicable.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

CRUSADER LOW TEMP DESTAINER

Respiratory sensitisation

Summary Not applicable.

Skin sensitisation

Summary Not applicable.

Germ cell mutagenicity

Summary Not applicable.

Carcinogenicity

Not applicable. Summary

Reproductive toxicity

Summary Not applicable. Specific target organ toxicity - single exposure Summary Not applicable.

Specific target organ toxicity - repeated exposure

Summary Not applicable.

Aspiration hazard

Summary Not applicable.

11.2 Information on other None known. Hazards

11.2.1 Endocrine disrupting

None known.

properties

SECTION 12: Ecological information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data Toxicity

> specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Persistence and degradability The product is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not applicable.

12.4. Mobility in soil

Not known. Mobility

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Endocrine disrupting

properties

None known.

12.7. Other adverse effects

Other adverse effects None known.

CRUSADER LOW TEMP DESTAINER

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

SECTION 14: Transport information

General

Not classified for Transport.

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Not regulated.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Transport in bulk according to Not relevant for a packaged product. Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Legislation

Safety Data Sheet prepared in accordance with EU Regulation: "REACH Commission Regulation (EU) No 2020/878 (which amends Regulation (EC) No 2015/830, 453/2010 & 1907/2006)." and UK Regulation: "SI 2020 No. 1577 - The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020.".

The product is as classified under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

Ingredients are listed with classification under - EU GHS: CLP - "Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures." and UK GHS: "SI 2020 No. 1567 - The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2020." (which amends SI 2019 No.720).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

CRUSADER LOW TEMP DESTAINER

SECTION 16: Other information

Abbreviations and acronyms PBT: Persistent, Bioaccumulative and Toxic substance.

used in the safety data sheet vPvB: Very Persistent and Very Bioaccumulative.

ATE: Acute Toxicity Estimate.

REACH: The REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577.

GHS: Globally Harmonized System.

Classification abbreviations

and acronyms

Aquatic Acute = Hazardous to the aquatic environment (acute)
Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Eye Dam. = Serious eye damage
Org. Perox. = Organic peroxide

Key literature references and

sources for data

Material Safety Data Sheet, Miscellaneous manufacturers. CLP Class - Table 3.1 List of harmonised classification and labelling of hazardous substances. ECHA - C&L Inventory

database.

Classification procedures Calculation Method.

Revision comments New Evans EU Address - No change in Product Classification.

(Changes made to sections 1+16)

Revision date 01/10/2024

Revision 6

The Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the

Hazard Statements relating to this Product see Section 2.

Hazard statements in full H242 Heating may cause a fire.

H302 Harmful if swallowed.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.